


JLS8420	24	40	AA	20	CC	DD
Model	Voltage	Width	CCT	IP	CRI	Length
	24: 24V	40: 40mm	27: 2700K 30: 3000K 40: 4000K 60: 6000K	20: IP20 (Dry)	80: 80+ 90: 90+	2.5m Customized



CCT	Power	Brightness	Project
2700K	11 W/ft	1307 lm/ft	Qty
3000K	11 W/ft	1405 lm/ft	Date
4000K	11 W/ft	1481 lm/ft	Client
6000K	11 W/ft	1449 lm/ft	

Standard CCT




LED Type	SMD2835 white
Input Voltage	24VDC
Beam Angle	120°
CRI	80+
Power	36W/m (11W/ft)
Current	0.58A/m (0.177A/ft)
Brightness	1307lm/ft (2700K); 1405lm/ft (3000K); 1481lm/ft (4000K); 1449lm/ft (6000K)
Length/ Reel	2.5m (8.2ft)
Cut Length	50mm/unit (1.97in/unit)
Max. Length (No Voltage drop)	10 ft
IP Grade	IP20
Operating Temperature	-20°C~45°C
LED CCT	2700K/ 3000K/ 4000K/ 6000K (2300K/ 3500K/ 5000K)
Dimming Method	0-10V, RX, PWM, Triac, RF, Bluetooth, WIFI etc.
Certification	UL, CE, RoHS

Waterproof Solution



IP20
No waterproof
Dry location

DIMENSION



JOYOLIGHT

Joyolight reserves the rights change our products and specifications at anytime without prior notice and such modification shall be effective immediately. Contact Joyolight for the latest product information.

Five-year warranty
Contact us for complete terms and conditions.


JOYOLIGHT GROUP INC.
#12, 5200 Dixie road
Mississauga, ON, L4W 1E4

www.joyolight.ca
sales@joyolight.com
1-877-849-1942
647-496-8107

BV Standard Product


Help to set up an energy conservation, flexible and multifunctional home lighting, the product with the features of low power, high brightness, high light efficiency, high CRI and high waterproof, various of connection accessories and dimming control systems are optional.

Narrow Spectrum



Impressive color consistency within 3 Step MacAdam in the center BIN on the Planck Locus over each individual LED, One Bin Only.

Test Report



Accessories



CC4P

Cable extension connector
Extension connector for two pin cable
Easy installation
Ten pcs connector in one bag



CC6P

Cable extension connector; T connector
Extension connector for two pin cable
Easy installation
Ten pcs connector in one bag



JOYOLIGHT

Joyolight reserves the rights change our products and specifications at anytime without prior notice and such modification shall be effective immediately. Contact Joyolight for the latest product information.

Five-year warranty


Contact us for complete terms and conditions.

JOYOLIGHT GROUP INC.


#12, 5200 Dixie road
Mississauga, ON, L4W 1E4

www.joyolight.ca
sales@joyolight.com
1-877-849-1942
647-496-8107

Triac Dimming



0-10V Dimming



Smart Dimming

